

CNC Parts Plastic Drag Chain Flexible Cable Track Chain Cable Carrier Chain For Wires Protection

Basic Information

- Place of Origin:
- Brand Name:

China

BNEE

ZQ ZF

10\$-60\$

cardboard box

5-8 work day

200 metres per day

1

CE IS09001

- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
 - Packaging Details:
 - Delivery Time:
 - Payment Terms: T/T
 - Supply Ability:



Product Specification

- Material:
- Inner Height:
- Inner Width:
- Outer Height:
- Outer Width:
- Bending Radius:
- Highlight:

Steel Nylon 07mm-80mm 07mm-300mm 10mm-119mm 10mm-364mm 18mm-300mm

Flexible plastic drag chain, Flexible cable track chain, Wires Protection cnc cable drag chain



Our Product Introduction

Product Description

Nylon Cable Drag Chains: Versatile and Economical Solutions for Industrial Cable Management

Introduction: Nylon cable drag chains are engineered to provide reliable cable management in a variety of industrial applications. Known for their flexibility and durability, these chains offer an economical solution for protecting and organizing cables, hoses, and other conduits in dynamic environments.

Purposes of Nylon Cable Drag Chains: Nylon cable drag chains serve a multitude of purposes across different industries: Cable Protection: They protect cables and hoses from wear, abrasion, and environmental factors such as dust, water, and chemicals.

Organization and Safety: By keeping cables neatly organized, drag chains reduce trip hazards and the risk of damage from snagging or crushing.

Durability: Nylon material ensures that the chains are long-lasting, even under the stress of continuous motion. **Flexibility:** The chains can flex and bend without compromising the integrity of the enclosed cables, accommodating various machine movements.

Cost-Effectiveness: Nylon chains provide a budget-friendly option for industries looking for reliable cable management without a high upfront cost.

Cost-Effectiveness of Nylon Cable Drag Chains: The cost-effectiveness of nylon cable drag chains is a key factor in their widespread adoption:

Affordability: Nylon is generally less expensive than metal, making these chains a more accessible option for businesses. Long Service Life: The durability of nylon chains means they require less frequent replacement, reducing long-term costs. Low Maintenance: Nylon is resistant to corrosion and does not require the same level of maintenance as metal chains, saving on operational costs.

Versatility: The ability to use nylon drag chains in a variety of applications maximizes their value and utility. **Customization:** Many manufacturers offer customizable options for nylon drag chains, allowing businesses to invest in features that are most relevant to their specific needs without unnecessary extras.

Conclusion: Nylon cable drag chains are a practical and economical choice for industries seeking a reliable solution for cable management. Their versatility, durability, and cost-effectiveness make them an attractive option for protecting and organizing cables in a wide range of applications. As industries continue to demand efficient and affordable cable management systems, the role of nylon cable drag chains as a preferred solution will only grow.

-	Bending radius		inner width	outor boight	outor width
Туре	-	inner height	inner width	outer height	outer width
ZQ3250	63 75 100 125 150 175 200 250 300	32	51	54	72
ZQ3262	63 75 100 125 150 175 200 250 300	32	62	54	90
ZQ3275	63 75 100 125 150 175 200 250 300	32	75	54	97
ZQ3287	63 75 100 125 150 175 200 250 300	32	87	54	109
ZQ32100	63 75 100 125 150 175 200 250 300	32	100	54	122
ZQ32112	63 75 100 125 150 175 200 250 300	32	112	54	134
ZQ32125	63 75 100 125 150 175 200 250 300	32	125	54	147
ZQ32137	63 75 100 125 150 175 200 250 300	32	137	54	159
ZQ32150	63 75 100 125 150 175 200 250 300	32	150	54	172
ZQ32162	63 75 100 125 150 175 200 250 300	32	162	54	184
ZQ32175	63 75 100 125 150 175 200 250 300	32	175	54	197
ZQ32187	63 75 100 125 150 175 200 250 300	32	187	54	197
ZQ32200	63 75 100 125 150 175 200 250 300	32	200	54	222
ZQ32225	63 75 100 125 150 175 200 250 300	32	225	54	247
ZQ32250	63 75 100 125 150 175 200 250 300	32	250	54	272

Our Product Introduction



